



**Building Department**

52700 Van Dyke, Shelby Township, MI 48316

Phone (586) 731-5969

Fax (586) 803-2099

[building@shelbytp.org](mailto:building@shelbytp.org)

[www.shelbytp.org](http://www.shelbytp.org)

## POOL ALARM AFFIDAVIT

(Complete if swimming pool enclosure contains doors or windows with direct access to pool)

Name of Permit Applicant: \_\_\_\_\_

Owner's Name (if different from applicant): \_\_\_\_\_

Project Address: \_\_\_\_\_

I (we) hereby understand that as part of the installation of a swimming pool at the above address, **all doors and windows** with direct access to the pool shall be equipped with an approved **alarm** or an alternative method of compliance, as allowed by the 2015 International Swimming Pool and Spa Code (ISPSC Code). I (we) agree to comply with Section 305.4 of the ISPSC Code as follows:

- 1) Where a wall of a dwelling or structure serves as part of the barrier and where doors or windows provide direct access to the pool, one of the following shall be required:
  - a. The pool shall be equipped with a safety cover in compliance with ASTM F1346.
  - b. All operable windows with a sill height of less than 48" above the finished floor and doors shall have an alarm which produces an audible warning when the window, door or their screens are opened. The alarm shall be listed and labeled as a water hazard entrance alarm in accordance with UL 2017. The operable parts of the alarm deactivation switches shall be located 54 inches or more above the finished floor.
  - c. An approved means of protection, such as self-closing doors with self-latching devices is provided. Such means shall provide a degree of protection that is not less than afforded by Item a. or b. described above.
  
- 2) The pool **shall not** be used until the pool *and* enclosure are approved by the Shelby Township Building Department.

\_\_\_\_\_  
Signature of permit applicant

\_\_\_\_\_  
Date

\_\_\_\_\_  
Signature of owner (if different from applicant)

\_\_\_\_\_  
Date